

Coolmay PLC/HMI cables

Sort	Product series	Cables			NO
Text PLC all in one	EX2N-30A/40A/50A	programming	Text panel Plc part	232 Programming cable ——DB 9 female socket 232 programming port	20999
EX2N series HMI PLC all in one	EX2N-43H(A)/43KH(A)/50KH(A)	programming	HMI	4.3 " HMI programming cable ——Mini B type USB programming port	30998
			PLC	232 Programming cable ——DB 9 female socket 232 programming port	20999
	EX2N-70H(A/AS) EX2N-100HA	programming	HMI	7 " HMI programming cable ——B type USB programming port (same as printer square cable)	30999
			PLC	232 Programming cable ——DB 9 female socket 232 programming port	20999
	CX2N-HM	programming	True color text panel	4.3 " HMI programming cable ——Mini B type USB programming port	30998
			PLC	CX2N plc programming cable ——8-hole mouse head female socket 232 programming port	30903
EX3G series HMI PLC all in one	EX3G-43H/43HB/43KH/50KH	programming	HMI	4.3 " HMI programming cable ——Mini B type USB programming port (Position: below)	30998
			PLC	4.3 " HMI programming cable ——Mini B type USB programming port (position: upper)	30998
	EX3G-70KH(A) EX3G-100HA	programming	HMI	7 " HMI programming cable ——B type USB programming port (same as printer square cable)	30999
			PLC	4.3 " HMI programming cable ——Mini B type USB programming port (position: upper)	30998
	EX3G-70H	programming	HMI	USB-TYPE-C communication cable ——TYPE-C interface (position: left)	30997
			PLC	USB-TYPE-C communication cable ——TYPE-C interface (position: right)	30997
2N series PLC	FX2NC PLC	programming	SC-11——8 hole mouse head female socket 422 programming port	10999	
	CX2N/DCX2N PLC	programming	CX2N plc programming cable ——8 hole mouse head female socket 232 programming port	30903	
3G series PLC	FX3GC PLC	programming	4.3 " HMI programming cable ——Mini B type USB programming port (position: upper)	30998	
	CX3G/DCX3G PLC	programming	4.3 " HMI programming cable ——Mini B type USB programming port (position: upper)	30998	

Sort	Product series	Cables		NO	
EX3G-C series HMI PLC all-in-one	EX3G-43C/50C series EX3G-70C/HC series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
			PLC	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
	EX3G-70KC series EX3G-100C series	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
			PLC	4.3 " HMI programming cable——Mini B type USB programming port (position: upper)	30998
QM3G series HMI PLC all-in-one	QM3G-43FH/50FH series QM3G-70FH/HD series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
			PLC	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
	QM3G-70KFH series QM3G-100FH series	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
			PLC	4.3 " HMI programming cable——Mini B type USB programming port (position: upper)	30998
MX2N-C series HMI PLC all-in-one	MX2N-43C series MX2N-70C series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
			PLC	232 programming cable DB 9 female socket 232 programming port	20999
L02 series PLC	L02M32T/L02M32R L02M24T/L02M24R	programming	USB-TYPE-C communication cable—— TYPE-C interface (position: left)		30997

Sort	Product series	Cables		NO
MT series HMI	MT6037H/MT6050H(A)/ MT9037H	programming	4.3 " HMI programming cable——Mini B type USB programming port	30998
		communicating	As needs,refer to HMI + PLC	
	MT6043H(A)/ MT9043KH/MT9050KH	programming	4.3 " HMI programming cable——Mini B type USB programming port	30998
		communicating	As needs,refer to HMI + PLC	
	MT6070H(A)/MT6100HA/ MT9070KH	programming	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
		communicating	As needs,refer to HMI + PLC	
Smart panel	MAY3S/MAY5S	programming	4.3 " HMI programming cable——Mini B type USB programming port	30998
		communicating	As needs,refer to HMI + PLC	
	MAY3C/MAY5C	programming	USB-TYPE-C communication cable——TYPE-C interface	30997
		communicating	As needs,refer to HMI + PLC	
TP series HMI	TP6037C	programming	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
		communicating	As needs,refer to HMI + PLC	
	TP6043C/TP6050C/ TP6070C/TP6070HC	programming	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
		communicating	As needs,refer to HMI + PLC	
	TP6070KC/TP6100C	programming	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
		communicating	As needs,refer to HMI + PLC	
TK series HMI	TK6037FH	programming	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
		communicating	As needs,refer to HMI + PLC	
	TK6043FH/TK6050FH/ TK6070FH/TK6070HD	programming	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997
		communicating	As needs,refer to HMI + PLC	
	TK6070KFH/TK6100FH	programming	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
		communicating	As needs,refer to HMI + PLC	

Sort	Product series		Cables			NO	
	HMI	PLC					
HMI+PLC	TP6037C/ TK6037FH	FX2NC series PLC or Mitsubishi PLC: FX1N/FX1S/FX2N	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997	
				PLC	SC-11——8 hole mouse head female socket 422 programming port	10999	
			communicating	MT6037H/MT6050H and DX2N---customized			10987
		CX2N/DCX2N	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997	
				PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating	MT6037H/MT6050H and CX2N——customized			10989
		FX3GC series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997	
					Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	Method 2: MR: SC-11——8 hole mouse head female socket 422 programming port	10999	
			MT: CX2N plc programming cable——8-hole mouse head female socket 232 programming port		30903		
			communicating	MR: MT6037H/MT6050H and DX2N---customized			10987
				MT: MT6037H/MT6050H and CX2N——customized			10989
		CX3G/DCX3G series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997	
					Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating		MT6037H/MT6050H and CX2N——customized		
		L02 series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface (position: left)	30997	
					Method 1:USB-TYPE-C communication cable—— TYPE-C interface	30997	
				PLC	Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating		MT6037H/MT6050H and CX2N——customized		

Sort	Product series		Cables			NO	
	HMI	PLC					
HMI+PLC	MT6037H/ MT9037H/ MT6050H(A)	FX2NC PLC or Mitsubishi PLC: FX1N/FX1S/FX2N	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	SC-11——8 hole mouse head female socket 422 programming port	10999	
			communicating	MT6037H/MT6050H and DX2N---customized			10987
		CX2N/DCX2N	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating	MT6037H/MT6050H and CX2N——customized			10989
		FX3GC	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
					PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998
				PLC	Method 2: MR: SC-11——8 hole mouse head female socket 422 programming port	10999	
			communicating	PLC	MT: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
				MR: MT6037H/MT6050H and DX2N---customized			10987
				MT: MT6037H/MT6050H and CX2N——customized			10989
		CX3G/DCX3G	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998	
					Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating	MT6037H/MT6050H and CX2N——customized			10989
		L02 series	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
					PLC	Method 1:USB-TYPE-C communication cable——TYPE-C interface	30997
				PLC		Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
			communicating	MT6037H/MT6050H and CX2N——customized			10989

Sort	Product series		Cables			NO
	HMI	PLC				
HMI+PLC	TP6043C/ TP6050C/ TP6070C/ TP6070HC/ TK6043FH/ TK6050FH/ TK6070FH/ TK6070HD	FX2NC PLC or Mitsubishi PLC: FX1N/FX1S/FX2N	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface	30997
				PLC	SC-11——8 hole mouse head female socket 422 programming port	10999
			communicating		SC-11——8 hole mouse head female socket 422 programming port	10999
		CX2N/DCX2N	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface	30997
				PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
			communicating		CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
		FX3GC series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface	30997
					Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998
				Method 2:	10999	
			PLC	MR: SC-11——8 hole mouse head female socket 422 programming port	30903	
				MT:CX2N plc programming cable——8-hole mouse head female socket 232 programming port		
			communicating		MR: SC-11——8 hole mouse head female socket 422 programming port	10999
				MT:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
		CX3G/DCX3G series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface	30997
					Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998
				Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating		CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
		L02 series	programming	HMI	USB-TYPE-C communication cable—— TYPE-C interface	30997
					Method 1:USB-TYPE-C communication cable—— TYPE-C interface	30997
				PLC	Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903

		communicating	CX2N plc programming cable —8-hole mouse head female socket 232 programming port	30903
--	--	---------------	---	--------------

Sort	Product series		Cables			NO	
	HMI	PLC					
HMI+PLC	MT6043H(A)/ MT9043KH/ MT9050KH	FX2NC PLC Mitsubishi PLC: FX1N/FX1S/FX2N	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	SC-11——8 hole mouse head female socket 422 programming port	10999	
			communicating		SC-11——8 hole mouse head female socket 422 programming port	10999	
			programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
					PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
				communicating		CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
		FX3GC	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998	
				PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998	
					Method 2: MR: SC-11——8 hole mouse head female socket 422 programming port MT: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	10999 30903	
			communicating		MR: SC-11——8 hole mouse head female socket 422 programming port MT: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	10999 30903	
				programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998
						PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port
		communicating			CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
		DCX3G		programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998
					PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998
						Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
				communicating		CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
		L02 series		programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998
					PLC	Method 1:USB-TYPE-C communication cable——TYPE-C interface	30997
						Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903

		communicating	CX2N plc programming cable ——8-hole mouse head female socket 232 programming port	30903
--	--	---------------	--	--------------

Sort	Product series		Cables			NO	
	HMI	PLC					
HMI+PLC	MT6070H(A)/ MT6100HA/ MT9070KH/ TP6070KC/ TP6100C/ TK6070KFH/ TK6100FH	FX2NC PLC Mitsubishi PLC: FX1N/FX1S/FX2N	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999	
				PLC	SC-11——8 hole mouse head female socket 422 programming port	10999	
			communicating	SC-11——8 hole mouse head female socket 422 programming port	10999		
			CX2N/DCX2N	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
					PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
				communicating	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
		FX3GC	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999	
				PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998	
					Method 2: MR: SC-11——8 hole mouse head female socket 422 programming port MT: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	10999 30903	
			communicating	MR: SC-11——8 hole mouse head female socket 422 programming port	10999		
				MT: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903		
		CX3G/DCX3G	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999	
				PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998	
					Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903	
			communicating	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903		
			L02 series	programming	HMI	7 " HMI programming cable——B type USB programming port (same as printer square cable)	30999
					PLC	Method 1:USB-TYPE-C communication cable——TYPE-C interface	30997
		Method 2:CX2N plc programming cable——8-hole mouse head female socket 232 programming port				30903	

		communicating	CX2N plc programming cable ——8-hole mouse head female socket 232 programming port	30903
--	--	---------------	--	--------------

Sort	Product series		Cables			NO		
	Smart Panel	PLC						
Smart Panel +PLC	MAY3S/ MAY5S/	CX2N/ DCX2N	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998		
				PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903		
			communicating	To buy 0.5/0.75 double cross shielded cable——CANport (L H)/485port(A B)				
		FX3GC	programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port	30998		
				PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998		
					Method 2: MR: SC-11——8 hole mouse head female socket 422 programming port	10999		
			communicating	To buy 0.5/0.75 double cross shielded cable——CANport (L H)/485port(A B)			30903	
				programming	HMI	4.3 " HMI programming cable——Mini B type USB programming port		30998
					PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port		30998
		DCX3G	programming	PLC	Method 2: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903		
					communicating	To buy 0.5/0.75 double cross shielded cable——CANport (L H)/485port(A B)		
			MAY3C/ MAY5C	CX2N/ DCX2N	programming	HMI	USB-TYPE-C communicate cable——USB-TYPE-C interface	30997
	PLC	CX2N plc programming cable——8-hole mouse head female socket 232 programming port				30903		
	communicating	To buy RJ11-6P6C and cat5e STP——CANport (L H)/485port(A B)						
	FX3GC	programming		HMI	USB-TYPE-C communicate cable——USB-TYPE-C interface	30997		
				PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port	30998		
					Method 2: MR: SC-11——8 hole mouse head female socket 422 programming port	10999		
		communicating		To buy RJ11-6P6C and cat5e STP——CANport (L H)/485port(A B)			30903	
				programming	HMI	USB-TYPE-C communicate cable——USB-TYPE-C interface		30997
					PLC	Method 1:4.3 " HMI programming cable——Mini B type USB programming port		30998
	DCX3G	programming		PLC	Method 2: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903		
					communicating	To buy RJ11-6P6C and cat5e STP——CANport (L H)/485port(A B)		

Coolmay HMI/PLC Cable matching table

				Method 2: CX2N plc programming cable——8-hole mouse head female socket 232 programming port	30903
				communicating	To buy RJ11-6P6C and cat5e STP——CANport (L H)/485port(A B)

<p>SC-11(White)</p> <p>8 pin round port ---PLC DB9 female port 232 --- PLC/ USB-232 Pin definition:Female socket 2/3/5---round 4/2/7or1</p>	
<p>232 programming cable</p> <p>Both end: 232 female socket Pin definition: 2-3,3-2,5-5</p>	
<p>CX2N PLC programming cable (White)</p> <p>8 pin round port ---PLC DB9 female port 232 --- PLC/ USB-232 Pin definition: DB9 port 2/3/5--- round port3/4/6</p>	
<p>4.3' hmi programming cable</p> <p>Same as standard Mini B type data cable Standard usb port --- PC Small usb port --- HMI/3G all in one/ 3G PLC</p>	
<p>USB-TYPE-C communication cable</p> <p>Standard usb port---PC TYPE-C interface---EX3G-70H/TK series HMI</p>	
<p>7' hmi programming cable</p> <p>Same as printer square cable Standard usb port---PC,usb square port---HMI</p>	
<p>USB-232</p> <p>USB---PC Male port 232 ---programming/downloading cable with 232 port If there is no 232 port on pc, but you need to use 232 programming cable, SC-11, CX2N series PLC download cable, etc., you must get usb-232 cable</p>	
<p>USB-485</p> <p>USB---PC 485 terminal --- 0.5/0.75 STP</p> 	
<p>MT6037H/MT6050H and DX2N communicate cable</p> <p>Customized, Different from CX2N RED---RX WHITE---TX GREEN---GND</p> 	<p>MT6037H/MT6050H and CX2N communicate cable</p> <p>Customized, Different from DX2N RED---RX WHITE---TX GREEN---GND</p> 

<p>Mitsubishi communicate cable (black) 8 pin round port ---PLC 232 female port --- HW-40B</p>		<p>Smart Panel MAY3C/MAY5C RJ11-6P6C Registered jack</p>	
---	---	---	---